

TrueNAS 25.10.6 Console Setup

- 1 **Install/Upgrade**
- 2 Shell
- 3 Reboot System
- 4 Shutdown System

< **OK** >

<Cancel>

Choose Destination Media

Install TrueNAS to a drive. If desired, select multiple drives to provide redundancy. TrueNAS installation drive(s) are not available for use in storage pools. Use arrow keys to navigate options. Press spacebar to select.

[]	sda	QEMU HARDDISK	-- 200 GiB
[*]	sdb	QEMU HARDDISK	-- 32 GiB

< OK >

<Cancel>

TrueNAS Installation

WARNING:

- This erases ALL partitions and data on sdb.
- sdb will be unavailable for use in storage pools.

NOTE:

- Installing on SATA, SAS, or NVMe flash media is recommended.
USB flash sticks are discouraged.

Proceed with the installation?

< Yes >

< No >

Web UI Authentication Method

- 1 Administrative user (truenas_admin)
- 2 Configure using Web UI

< OK >

<Cancel>

Enter your "truenas_admin" user password. Root password login will be disabled.

Password:

Confirm Password:

< OK >

<Cancel>

Legacy Boot

Allow EFI boot? Enter Yes for systems with newer components such as NVMe devices. Enter No when system hardware requires legacy BIOS boot workaround.

< Yes >

< No >

Installation Succeeded

The TrueNAS installation on sdb succeeded!
Please reboot and remove the installation media.

< OK >

TrueNAS 25.10.6 Console Setup

- 1 Install/Upgrade
- 2 Shell
- 3 **Reboot System**
- 4 Shutdown System

< **OK** >

<Cancel>